

## 2nd - b - How-To Register a Vehicle Communication Interface (VCI) Device to Your Account - Aftermarket

649 Nate Skutt Wed, Apr 17, 2024 [wiTECH 2.0 Public Articles - Aftermarket](#) 24856

### For Aftermarket Users ONLY

#### Aftermarket Setup Process:

For a video version of the Aftermarket wiTECH 2.0 Setup Process, please see [Video - How To Setup wiTECH 2.0 For Aftermarket Users](#) .

[1st - Getting Started with wiTECH 2.0 - Aftermarket](#)

[2nd - a - How-To Purchase a Vehicle Communications Interface \(VCI\) device - Aftermarket](#)

[2nd - b - How-To Register a Vehicle Communication Interface \(VCI\) Device to Your Account - Aftermarket](#) (this article)

[2nd - c - Registering a J2534 Device - Aftermarket](#)

[3rd - How-To Purchase and Assign a wiTECH 2.0 Subscription and Assign Users - Aftermarket](#)

[4th - How-To Setup Okta MFA for New Users - Aftermarket.](#)

[5th - How-To Setup Your Vehicle Communication Interface \(VCI\) Device - Aftermarket](#)

[6th - How-To Configure Wireless on a Vehicle Communication Interface \(VCI\) Device - Aftermarket](#)

[7th - How-To Purchase a TechAuthority Subscription - Aftermarket](#)

---

## 2nd - b - How-To Register a Vehicle Communication Interface (VCI) Device to Your Account - Aftermarket

### **Introduction**


This article describes how to register a Vehicle Communication Interface (VCI) device to your Mopar Technical Service Portal (MTSP) Account. Your device must be registered to your account before you can begin using it with wiTECH 2.0.

### **How-To Register a Vehicle Communication Interface (VCI) Device to Your Account**

**WARNING:** DO NOT SUBMIT MULTIPLE TOOL REQUESTS FOR THE SAME VCI. DOING SO WILL SLOW DOWN THE REGISTRATION PROCESS.

1. Navigate to the [Mopar Technical Service Portal \(MTSP\)](#) website. Fill in your username and password, then click **Login** or press **ENTER** on your keyboard, and complete the multifactor authentication challenge.


2. Click the **REGISTER NEW DEVICE** button.




3. If **microPod II** or MDP are selected, you can enter the VCI serial number that is located on the back of the device.

**NOTE:** For microPod II registration, a serial number at or higher than WSP-31560 is required

Please enter the entire serial number and select **REGISTER**.




3.1, When you complete the VCI device request, you'll receive the Register New Device confirmation and a success confirmation prompt in the bottom right.






4. Once you have sent the Registration Request please allow up to one business day for processing. Once your VCI has been processed you will receive a notification email.

If your device has been approved, it will then be associated to your account, and be visible on the Dashboard page.


**TECHNICAL SERVICE PORTAL**

FCA




 EN / US
 

DASHBOARD

PURCHASE

ORDERS

ACCOUNT

SUPPORT

DEVICES

WITECH 2.0 SUBSCRIPTIONS

ECU FLASH SUBSCRIPTIONS

MANAGE USERS

Diagnostic Devices

REGISTER NEW DEVICE

WSP-31608

Filter

ALIAS	DEVICE TYPE	SERIAL NUMBER	SUBSCRIPTION	WARRANTY
N/A	microPod II	WSP-31608	UNASSIGNED	N/A

Items per page: 10

1 – 1 of 1

< >

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

WSP-31608

You can now assign your VCI to an active subscription and user and an Okta account activation email will be mailed to you for logging into wiTECH 2.0.

Online URL: <https://kb.fcawitech.com/article/2nd-b-how-to-register-a-vehicle-communication-interface-40%3bvci-41%3b-device-to-your-account-aftermarket-649.html>