How to Install Enhanced DRB III Emulator

822 Will Flickema Tue, Apr 24, 2018 Enhanced DRB III Emulator 54657

Installation Notes:

In order to install the Enhanced DRB III Emulator, you must have the wiTECH Diagnostic Application (wiTECH 1.0) installed as well as all supporting software. The wiTECH Diagnostic Application (wiTECH 1.0) can be downloaded and installed on a Windows PC from DealerCONNECT (DealerCONNECT > Service > wiTECH Information (Under the SERVICE TOOLS & EQUIPMENT section) > Legacy Tools > wiTECH Software Installer). Installation Instructions are found on the DealerCONNECT website and <u>here</u>.

In order to install DRB III Enhanced Emulator you must have a microPod II Device that has Entitlements for the Enhanced version. This is different that those for the wiTECH Diagnostic Application (wiTECH 1.0) or the Original DRB III Emulator. This microPod II Device will only work with the wiTECH Diagnostic Application (wiTECH 1.0) and Enhanced DRB III Emulator.

Installation Instructions:

1. Connect the microPod II device that will be used with Enhanced DRB III Emulator to a Windows computer that has the wiTECH Diagnostic Application (wiTECH 1.0) either through the USB-microUSB cable or by plugging the microPod II device into a vehicle's OBDII port and having both the microPod II device and the computer on the same wireless network.

1. Use the following link to add a wireless profile to the microPod II, if not already done: https://kb. fcawitech.com/article/330/how-to-configure-wireless-settings-on-a-micropod-ii-setup-for-enhanced-drb-iii-emulator-832.html

2. Open the wiTECH Diagnostic Application (wiTECH 1.0) and look for the microPod II device in the connection wizard.

1. In the example below, the microPod II device name is "wiTECH 1.0 microPod." It has been discovered over Wi-Fi and USB.

17.04.27							- 0
Connection Wizard							
Select Tool							
Double-click row or select tool and press "Next". List refreshes automatically as tools are added or removed.							
Hde Unresponsive Devices							
Device A	Year	Body	IP Address	Worksroup	Interface	Locked	Lock Owner
RDM-WSP-08805	2011	LX.	10.5.155.177		wi-Fi		
BDM WSF 10186	2013	PF	10.5.155.158		WI-FI		
wiTECH 1.0 microPod	7777	77	10.5.155.156		WI-FI		
wiTECH 1.0 microPod	m	77	172.22.22.22		usb		
Simulated-2004.HB	2004	нв	2004.HB				
Simulated-2005.WK	2005	WK	2005.WK				
Simulated-2006.DR	2006	DR	2006.DR				
Simulated-2006.HB	2006	нв	2006.HB				
Simulated-2006.KJ	2006	кл	2006.KJ				
Simulated-2006.LX	2006	LX	2006.LX				
Simulated-2006.WK	2006	WK	2006.WK				
Simulated-2007.CS	2007	cs	2007.CS				
Simulated-2007.VB	2007	VB	2007.VB				
Simulated-2007.ZH	2007	ZH	2007.ZH				
Simulated-2008.RT	2008	RT	2008.RT				
Simulated-2008.ZB	2008	ZB	2008.ZB				
Simulated-2009.HB	2009	нв	2009.HB				
Simulated-2009.JC	2009	JC	2009.JC				
Simulated-2010.PM	2010	PM	2010.PM				
Simulated-2011.DP	2011	DP	2011.DP				
Simulated-2011.LX	2011	LX	2011.LX				Construction of the second second
Simulated-2012.FF	2012	FF	2012.FF				
							ATT -
		-					Modify Location Profiles
							Launch DHB III Enhanced Next
😨 🥭 📋 🧿	S 🗟 🗸	vi					- 🎼 🏴 🗑 📶 🌓 2:25 PM 2/1/2018

- 3. Once the device is found in the connection wizard, click on the name.
 - 1. Clicking on the name will cause the "Launch DRB III Enhanced" button to appear to the left of the "Next" button in the bottom right corner.
 - 2. If the button appears with "Launch DRB III" with no "Enhanced", you will need to contact the Help Desk to get the Enhanced entitlements added.

17.04.27							- 0 - X
Connection Wizard							
Select Tool							
Double-click row or select tool and press "Next". List refreshes automatically as tools are added or removed.							
Hide Unresponsive Devices							
Device A	Year	Body	IP Address	Workgroup	Interface	Locked	Lock Owner
RDM-WSP-08805	2011	LX	10.5.155.177		WI-FI		
RDM-WSP-18186	2013	PF	10.5.155.158		WI-FI		
wiTECH 1.0 microPod	7777	77	10.5.155.156		WI-FI		
wiTECH 1.0 microPod	m	n	172.22.22.22		usb		
Simulated-2004.HB	2004	нв	2004.HB	13			
Simulated-2005.WK	2005	WK	2005.WK				
Simulated-2006.DR	2006	DR	2006.DR				
Simulated-2006.HB	2006	нв	2006.HB				
Simulated-2006.KJ	2006	KJ	2006.KJ				
Simulated-2006.LX	2006	LX	2006.LX				
Simulated-2006.WK	2006	WK	2006.WK				
Simulated-2007.CS	2007	cs	2007.CS				
Simulated-2007.VB	2007	VB	2007.VB				
Simulated-2007.ZH	2007	ZH	2007.ZH				
Simulated-2008.RT	2008	RT	2008.RT				
Simulated-2008.ZB	2008	ZB	2008.ZB				
Simulated-2009.HB	2009	нв	2009.HB				
Simulated-2009.JC	2009	JC	2009.JC				
Simulated-2010.PM	2010	PM	2010.PM				
Simulated-2011.DP	2011	DP	2011.DP				
Simulated-2011.LX	2011	LX	2011.LX				Contraction of the second second
Simulated-2012.FF	2012	FF	2012.FF				
						100	A ATT
	1		1	1	1		Land the second of the
Work in Standalone mode							Modify Location Profiles
							Launch DRB III Enhanced Next
							2:25 PM
🥶 🥃 📮 🔮 [🕑 🛛 🔊	n					• 🗤 📑 🖬 🗣 2/1/2018

4. Click the "Launch DRB III Enhanced" button and accept the EULA that is presented. A warning will be presented indicating that Enhanced DRB III Emulator is not installed. Press "OK" to start the installation process.

17.04.27		_						
onnection Wizard								
ielect Tool								
ouble-click row or select tool and pre-	ss "Next". List refreshes autor	matically as tools are adde	d or removed.					
Hide Unresponsive Devices								
Device	A Year	Body	IP Address	Workgroup	Interface	Locked	Lock Owner	
RDM-WSP-08805	2011	LX	10.5.155.177		wi-Fi			
RDM-WSP-18186	2013	PF	10.5.155.158		WI-FI			
wiTECH 1.0 microPod	2006	DR	10.5.155.156		wi-Fi			
Simulated-2004.HB	2004	нв	2004.HB					
Simulated-2005.WK	2005	WK	2005.WK					
Simulated-2006.DR	2006	DR	2006.DR					
Simulated-2006.HB	2006	нв	2006.HB					
Simulated-2006.KJ	2006	кл	2006.KJ					
Simulated-2006.LX	2006	LX	2006.LX					
Simulated-2006.WK	2006		ad Emulator		0			
Simulated-2007.CS	2007	CS	ed Emalator		<u></u>			
Simulated-2007.VB	2007	VB Missing Applica	Va Missing Application: DRB III Enhanced Emulator. Press ok to install it now. Please restart wiTECH after installation(s) are complete.					
Simulated-2007.ZH	2007	ZH		ОК				
Simulated-2008.RT	2008	RT	2008.RT					
Simulated-2008.ZB	2008	Z8	2008.ZB					
Simulated-2009.HB	2009	нв	2009.HB					
Simulated-2009.JC	2009	JC	2009.JC					
Simulated-2010.PM	2010	PM	2010.PM					
Simulated-2011.DP	2011	DP	2011.DP					
Simulated-2011.LX	2011	LX	2011.LX		6			
Simulated-2012.FF	2012	FF	2012.FF		ing.		A STATISTICS	
						1.0	4111	
							1.03	
Work in standalone mode							Modify Location Profile	
							Launch DRB III Enhanced Next	
		100					216 DM	
🗊 😂 📑 🧿		N/I					▲ P* R all ● 2/1/20	

5. The wiTECH Diagnostic Application (wiTECH 1.0) will now close and the "Enhanced DRB III Emulator Stub" will begin to install. Follow through any dialog prompts to continue the installation.



6. With the "Enhanced DRB III Emulator Stub" installed, select the check box for "Enhanced DRB III Emulator Application vx.xx.xxxx" and click the "Install" button in the bottom right corner of the window.

Recycle Bin Autode Design	esk Useful 2018-02-01 n. references 14:16:58-6	Top Issues How-to			
Mozilla Firefox 14_13_37	201 Benchmark	Software Manager	e Manager	Updates About	
Google ANVI Chrome Repor	L HyperCam 4	WITECH System Enhanced DRB	Updates New updates & messages	New updates & messages Restore hidden updates	
Greenshot OpenOf 415	MTECH	Installer Stub Updates (1) Critical (1) Important (0) Messages (0)	♥ wiTECH System Enhanced DRB Installer Stub Critical Updates Enhanced DRB III Emulator Application v2.11.0000 *	Date Size 2017-12-07 21.26 M8	
AVG Spot	fy TechTOOLS Application	Critical – (0) Important – (0)			
Skype WT2 Hot Benefi	Spot 2018-02-01 ts 14_16_21-G		Terms selected: 1		
microPOD Setup Utility Project	nt 2018-02-01 ts 14_16_31-6	Copyright (c) 1997-2013 Flexera Software LLC.	Download size (total): 21.26 M8 Al Rights Reserved. Terms of Lize Privacy Statement	W Hele	
18WK 19nition	x 2018-02-01 n 14 16 4816	1			• • • • <u>- 217</u> PM

7. Follow through any dialog prompts to complete installation. Once installation has completed, open the wiTECH Diagnostic Application and select the microPOD II device using the Connection Wizard. Click the "Launch DRB III Enhanced" to open the Enhanced DRB III Emulator. The emulator will appear as shown below if you are connected to a vehicle.



Note: You must be connected to a vehicle in order to launch the DRB III Enhanced Emulator.

Online URL: https://kb.fcawitech.com/article/how-to-install-enhanced-drb-iii-emulator-822.html